

danu

caring for the past
to present the future

Museum Showcases



Introduction

We have two options available for desktop showcases.

The FIS showcase is a high specification autolift case that meets all the museum specifications such as AER 0.1V, Oddy tested but can be fully bespoke and many options available.

- Autolift glass top allows full access for ease of installation
- Optional dimmable gooseneck lighting
- Silica gel tray accessible below the case and separate from display area
- 11,5 mm laminated extra white anti bandit glass , with optional low reflective coating.
- Secured with 2 Abloy locks
- Internal base panel can be fabric wrapped (Baumann)
- Option for mini clima humidity unit
- Solid or slab leg options



COS





FIS

The COS more affordable desktop, is aesthetically attractive where standard size museum cases are acceptable.

Sample Specification COS

SPECIFICATION TABLE	
SUBJECT	DETAILS
CASE TYPE	AUTOLIFT VISION
ACCESS	1 No AUTOLIFT GLASS TOP
DRESS PANELS	BASE DRESS PANEL TO ZFMDF, MOISTOP AND FABRIC WRAPPED, BAUMANN REF UNISONO III COL 96
LIGHTING	LED LIGHTING COMPRISES 1No DIMMABLE GANTRY STYLE LIGHTBAR
COLOUR	CASE AND FRAME INCLUDING PLINTH AND LIGHTBAR TO BE POWDER COATED RAL REF: RAL 7015
GLASS SPEC	11.5mm LOW IRON LAMINATED GLASS. ALL GLAZING SUPPLIED IN ACCORDANCE WITH BS5544.
CONDITIONING	MINICLIMA UNIT
SECURITY	CASE ACCESS CONTROL TO BE SECURED WITHIN STEEL CABINET WITHIN PLINTH UNIT. CABINET SECURED BY 1No ABLOY LOCK TO DOOR. SUITED A TO OWN UNIQUE KEY No.
CONSTRUCTION	5 SIDED GLASS CASE FIXED TO ZFMDF PLINTH CLAD WITH POWDER COATED STEEL PANELS. FRONT PANEL TO BE REMOVABLE. PLINTH TO BE BOLTED TO FLOOR.
SHELVING	N/A
POWER	240V SUPPLY REQUIRED FOR ACTUATORS AND LIGHTING AND HUMIDITY CONTROL.
NOTES;	2No MINICLIMA UNITS TO PROVIDE CONDITIONING FOR THE 3 CASES. CASES 1 AND 2 TO SHARE A UNIT.



Sample Specification FIS

- Choice of 4 dimensions (mm):
 - Length: 1200 or 1500
 - Depth: 600
 - Glass height: 250 or 400
 - Height to display surface: 750
- Oddy tested
- AER 0.1V
- Side hinged glass top allows to fit against a wall
- Optional dimmable goal post lighting
- Silica gel tray accessible below the case and separate from display area

- Choice of 3 glass to glass options:
 - Clear or translucent for uninterrupted view
 - Black silicon for an elegant border
 - Black metal profile for increase security yet with an elegant look
- 11,5 mm laminated extra white anti bandit glass , with optional low reflective coating.
- Secured with 2 Abloy locks (key can only be removed when lock in closed position)
- Off-the-shelf available in Matt Black, with others RAL K5 (4 digits) colors possible for an additional charge.
- Internal base panel can be fabric wrapped (Baumann)



Contact

danu
heritage

Caroline Checkley-Scott DIRECTOR

+44 7557 389 022 / caroline@danuheritage.com
www.danuheritage.com

danu
heritage

Helen Kane
DIRECTOR

+353 87 260 4985 / helen@danuheritage.com
www.danuheritage.com